



ZOLOTO[®] VALVES



Touching Lives Everyday.. Everywhere...

Maximum Retail
PRICE LIST
Dt. 16.02.2026

Art. No.	Product	Inches	mm	Price/Piece	Inches	mm	Price/Piece
1001	 <p>ZOLOTO Bronze Globe Valve (Screwed) HSN Code : 84819090</p>	1/4	8	909	1 1/2	40	3,748
		3/8	10	909	2	50	5,466
		1/2	15	909	2 1/2	65	9,371
		3/4	20	1,311	3	80	15,603
		1	25	1,722	4	100	26,884
		1 1/4	32	2,842			
1001A	 <p>ZOLOTO Bronze Angle Globe Valve No.4 (Screwed) HSN Code : 84819090</p>	1/2	15	979			
		3/4	20	1,762			
		1	25	2,422			
		1 1/4	32	3,138			
		1 1/2	40	5,655			
		2	50	7,361			
1002	 <p>ZOLOTO Bronze Globe Valve No.5 (Screwed) HSN Code : 84819090</p>	1/4	8	909	1 1/2	40	6,177
		3/8	10	973	2	50	10,405
		1/2	15	1,382	2 1/2	65	17,252
		3/4	20	2,255	3	80	25,446
		1	25	3,588			
		1 1/4	32	4,781			
1003	 <p>ZOLOTO Bronze Globe Valve No.8 (Flanged) Flanged Ends to BS 10 Table 'D' HSN Code : 84819090</p>	1/2	15	4,253			
		3/4	20	5,543			
		1	25	7,469			
		1 1/4	32	8,965			
		1 1/2	40	12,958			
		2	50	17,435			
1004	 <p>ZOLOTO Bronze Globe Valve (One Side Flanged) with PTFE Seating Flanged Ends to BS 10 Table 'D' HSN Code : 84812000</p>	1/2	15	3,077			
		3/4	20	4,041			
		1	25	5,634			
		1 1/4	32	8,032			
		1 1/2	40	10,801			
		2	50	15,039			
1005	 <p>ZOLOTO Bronze Needle Valve (Screwed) HSN Code : 84812000</p>	1/2	15	846			
		3/4	20	1,447			
		1	25	2,147			
		1 1/4	32	3,166			
		1 1/2	40	4,219			
		2	50	7,165			
1006	 <p>ZOLOTO Bronze Gate Valve (Hex. Type) (Screwed) HSN Code : 84818030</p>	1/4	8	929	1 1/2	40	5,076
		3/8	10	1,204	2	50	7,435
		1/2	15	1,331	2 1/2	65	12,923
		3/4	20	1,873	3	80	19,309
		1	25	2,588	4	100	37,436
		1 1/4	32	3,574	6	150	1,96,189

Art. No.	Product	Inches	mm	Price/Piece	Inches	mm	Price/Piece	
1007	 ZOLOTO Bronze Gate Valve (Peg. Type) (Screwed) HSN Code : 84818030	1/4	8	929	1 1/2	40	5,076	
		3/8	10	1,204	2	50	7,435	
		1/2	15	1,331	2 1/2	65	12,923	
		3/4	20	1,873	3	80	19,309	
		1	25	2,588	4	100	37,436	
		1 1/4	32	3,574				
1008	 ZOLOTO Bronze Ball Valve (Screwed) HSN Code : 84818090	1/2	15	1,249	2 1/2	65	17,504	
		3/4	20	1,889	3	80	25,379	
		1	25	2,356	4	100	40,808	
		1 1/4	32	4,587				
		1 1/2	40	6,503				
		2	50	10,245				
1008A	 ZOLOTO Bronze Ball Valve - E Model (Screwed) HSN Code : 84818090	1/2	15	1,126				
		3/4	20	1,579				
		1	25	2,262				
		1 1/4	32	3,825				
		1 1/2	40	5,825				
		2	50	8,032				
1008B	 ZOLOTO Forged Brass Ball Valve (Screwed) HSN Code : 84818090	1/4	8	578	1 1/2	40	3,157	
		3/8	10	578	2	50	4,533	
		1/2	15	593	2 1/2	65	9,601	
		3/4	20	820	3	80	16,501	
		1	25	1,298	4	100	25,638	
		1 1/4	32	2,169				
1009	 ZOLOTO Bronze Vertical Check Valve (Screwed) HSN Code : 84813000	1/2	15	846	2 1/2	65	7,759	
		3/4	20	1,208	3	80	10,816	
		1	25	1,687	4	100	17,707	
		1 1/4	32	2,611				
		1 1/2	40	3,053				
		2	50	4,547				
1009A	 ZOLOTO Forged Brass Multi Utility Check Valve (Screwed) HSN Code : 84813000	1/2	15	652				
		3/4	20	862				
		1	25	1,334				
		1 1/4	32	2,083				
		1 1/2	40	2,613				
		2	50	3,925				
1010	 ZOLOTO Bronze Horizontal Check Valve (Screwed) HSN Code : 84813000	1/4	8	856	1 1/2	40	3,490	
		3/8	10	856	2	50	5,086	
		1/2	15	856	2 1/2	65	8,704	
		3/4	20	1,226	3	80	14,473	
		1	25	1,608	4	100	24,926	
		1 1/4	32	2,635				

Art. No.	Product	Inches	mm	Price/Piece	Inches	mm	Price/Piece
1010A	 <p>ZOLOTO Bronze Angle Type Lift Check Valve (Screwed) HSN Code : 84813000</p>	1/2	15	1,132			
		3/4	20	1,979			
		1	25	2,677			
		1 1/4	32	3,352			
		1 1/2	40	5,943			
		2	50	8,166			
1011	 <p>ZOLOTO Bronze Horizontal Check Valve No.5 (Screwed) HSN Code : 84813000</p>	1/4	8	867	1 1/2	40	5,885
		3/8	10	929	2	50	9,904
		1/2	15	1,317	2 1/2	65	16,429
		3/4	20	2,147	3	80	24,233
		1	25	3,414			
		1 1/4	32	4,553			
1012	 <p>ZOLOTO Bronze Horizontal Check Valve No.8 (Flanged) Flanged Ends to BS 10 Table 'D' HSN Code : 84813000</p>	1/2	15	2,650			
		3/4	20	3,771			
		1	25	5,923			
		1 1/4	32	7,797			
		1 1/2	40	8,232			
		2	50	12,165			
1013	 <p>ZOLOTO Bronze Horizontal Check Valve No.9 (Screwed) HSN Code : 84813000</p>	1/4	8	1,368	1 1/2	40	6,380
		3/8	10	1,368	2	50	10,869
		1/2	15	2,046	2 1/2	65	19,769
		3/4	20	2,330	3	80	26,766
		1	25	3,929	4	100	47,854
		1 1/4	32	5,797			
1014	 <p>ZOLOTO Bronze Horizontal Check Valve No.9 (Flanged) Flanged Ends to BS 10 Table 'F' HSN Code : 84813000</p>	1/2	15	4,579	2 1/2	65	36,260
		3/4	20	5,490	3	80	43,777
		1	25	9,143	4	100	68,060
		1 1/4	32	12,188			
		1 1/2	40	15,468			
		2	50	25,136			
1018	 <p>ZOLOTO Bronze Ferrule Cock (Medium) HSN Code : 84818020</p>	1/4	8	806			
		3/8	10	851			
		1/2	15	937			
1019	 <p>ZOLOTO Bronze Ferrule Cock (Heavy) HSN Code : 84818020</p>	1/2	15	1,235			
		3/4	20	1,732			
		1	25	3,689			

Art. No.	Product	Inches	mm	Price/Piece	Inches	mm	Price/Piece
1019A	 ZOLOTO Bronze Ferrule Cock (As Per IS 2692) HSN Code : 84818020	1/4	8	1,684			
		3/8	10	1,717			
		1/2	15	1,730			
		3/4	20	2,734			
		1	25	4,645			
1024A	 ZOLOTO Forged Brass Ball Bib Cock with Hose Union (Chrome Plated) HSN Code : 84818020	1/2	15	746			
1031	 ZOLOTO Bronze Union Bonnet Globe Valve (Screwed) HSN Code : 84818030	1/4	8	1,876	1 1/2	40	8,708
		3/8	10	1,876	2	50	13,756
		1/2	15	2,013	2 1/2	65	21,414
		3/4	20	3,198	3	80	29,961
		1	25	4,721	4	100	52,339
1 1/4	32	6,683					
1032	 ZOLOTO Bronze Union Bonnet Globe Valve (Flanged) Flanged Ends to BS 10 Table 'F' HSN Code : 84818030	1/2	15	5,634	2 1/2	65	41,113
		3/4	20	6,298	3	80	50,090
		1	25	8,984	4	100	81,128
		1 1/4	32	13,699			
		1 1/2	40	16,166			
2	50	25,655					
1033	 ZOLOTO Bronze Globe Valve (Screwed) HSN Code : 84818030	1/4	8	945	1 1/2	40	6,015
		3/8	10	945	2	50	8,412
		1/2	15	1,337	2 1/2	65	17,460
		3/4	20	1,885	3	80	23,377
		1	25	2,759	4	100	36,608
1 1/4	32	4,315					
1034	 ZOLOTO Bronze Globe Valve (Flanged) Flanged Ends to IS 778 HSN Code : 84818030	1/2	15	4,532	2 1/2	65	29,726
		3/4	20	5,522	3	80	38,716
		1	25	7,787	4	100	62,223
		1 1/4	32	11,590			
		1 1/2	40	13,598			
2	50	20,012					
1035	 ZOLOTO Bronze Gate Valve (Screwed) HSN Code : 84818030	1/4	8	1,056	1 1/2	40	6,063
		3/8	10	1,311	2	50	8,881
		1/2	15	1,526	2 1/2	65	13,709
		3/4	20	2,057	3	80	20,322
		1	25	3,204	4	100	38,361
1 1/4	32	4,487					



CMI/L-9900049424



CMI/L-9900049424



CMI/L-9900049424

Art. No.	Product	Inches	mm	Price/Piece	Inches	mm	Price/Piece
1035A	 ZOLOTO Bronze Gate Valve, Class-2 (Screwed) HSN Code : 84818030	1/2	15	1,722	2 1/2	65	16,872
		3/4	20	2,271	3	80	23,622
		1	25	3,478	4	100	42,280
		1 1/4	32	4,677			
		1 1/2	40	6,718			
		2	50	10,194			
1035B	 ZOLOTO Bronze Gate Valve with Rising Stem (Screwed) HSN Code : 84818030	1/2	15	2,139	2 1/2	65	20,383
		3/4	20	2,721	3	80	32,866
		1	25	3,819	4	100	57,102
		1 1/4	32	6,404			
		1 1/2	40	8,946			
		2	50	13,260			
1035C	 ZOLOTO Bronze Gate Valve with Rising Stem Class-2 (Screwed) HSN Code : 84818030	1/2	15	2,414	2 1/2	65	25,082
		3/4	20	3,003	3	80	38,204
		1	25	4,143	4	100	62,935
		1 1/4	32	6,673			
		1 1/2	40	9,912			
		2	50	15,219			
1036	 ZOLOTO Bronze Gate Valve (Flanged) Flanged Ends to IS 778 HSN Code : 84818030	1/2	15	4,729	2 1/2	65	30,225
		3/4	20	5,703	3	80	37,746
		1	25	8,382	4	100	59,483
		1 1/4	32	11,305			
		1 1/2	40	14,253			
		2	50	19,681			
1037	 ZOLOTO Bronze Vertical Check Valve (Screwed) HSN Code : 84813000	1/2	15	1,061			
		3/4	20	1,382			
		1	25	2,086			
		1 1/4	32	2,896			
		1 1/2	40	3,479			
		2	50	5,737			
1038	 ZOLOTO Bronze Horizontal Check Valve (Screwed) HSN Code : 84813000	1/2	15	1,128	2 1/2	65	14,847
		3/4	20	1,646	3	80	20,094
		1	25	2,569	4	100	31,466
		1 1/4	32	3,770			
		1 1/2	40	5,229			
		2	50	7,751			
1039	 ZOLOTO Bronze Horizontal Check Valve (Flanged) Flanged Ends to IS 778 HSN Code : 84813000	1/2	15	4,814	2 1/2	65	25,864
		3/4	20	5,647	3	80	33,299
		1	25	7,787	4	100	53,511
		1 1/4	32	9,982			
		1 1/2	40	13,100			
		2	50	17,352			

Art. No.	Product	Inches	mm	Price/Piece	Inches	mm	Price/Piece
1040A	 ZOLOTO Bronze Compact Pressure Reducing Valve (Screwed) HSN Code : 84811000	2 1/2	65	24,472			
		3	80	37,197			
		4	100	75,549			
1040B	 ZOLOTO Forged Brass Compact Pressure Reducing Valve (Screwed) HSN Code : 84811000	1/2	15	2,485			
		3/4	20	3,064			
		1	25	5,590			
		1 1/4	32	7,017			
		1 1/2	40	7,765			
		2	50	10,624			
1041	 ZOLOTO Bronze Globe Steam Stop Valve (Screwed) HSN Code : 84818030	1/2	15	3,979			
		3/4	20	4,876			
		1	25	7,344			
		1 1/4	32	10,831			
		1 1/2	40	13,594			
		2	50	19,458			
1042	 ZOLOTO Bronze Globe Steam Stop Valve (Flanged) Flanged Ends to BS 10 Table 'H' HSN Code : 84818030	1/2	15	9,004			
		3/4	20	10,055			
		1	25	13,437			
		1 1/4	32	18,827			
		1 1/2	40	22,547			
		2	50	30,334			
1043	 ZOLOTO Bronze Horizontal Lift Check Valve (Screwed) HSN Code : 84813000	1/2	15	3,150			
		3/4	20	3,643			
		1	25	6,628			
		1 1/4	32	9,319			
		1 1/2	40	12,379			
		2	50	17,675			
1044	 ZOLOTO Bronze Horizontal Lift Check Valve (Flanged) Flanged Ends to BS 10 Table 'H' HSN Code : 84813000	1/2	15	8,441			
		3/4	20	9,400			
		1	25	12,634			
		1 1/4	32	17,472			
		1 1/2	40	21,329			
		2	50	28,864			
1045	 ZOLOTO Bronze Vertical Lift Check Valve (Screwed) HSN Code : 84813000	1/2	15	2,868			
		3/4	20	3,780			
		1	25	6,101			
		1 1/4	32	7,530			
		1 1/2	40	8,470			
		2	50	12,693			

Art. No.	Product	Inches	mm	Price/Piece	Inches	mm	Price/Piece
1046	 ZOLOTO Bronze Vertical Lift Check Valve (Flanged) Flanged Ends to BS 10 Table 'H' HSN Code : 84813000	1/2	15	7,983			
		3/4	20	9,852			
		1	25	11,350			
		1 1/4	32	14,556			
		1 1/2	40	18,245			
		2	50	27,132			
I.B.R							
1047	 ZOLOTO Bronze Asbestos Packed Water Level Gauge (Screwed) HSN Code : 84818030	1/2	15	10,720			
		3/4	20	14,369			
I.B.R							
1048	 ZOLOTO Bronze Asbestos Packed Water Level Gauge (Flanged) Flanged Ends to BS 10 Table 'F' HSN Code : 84818030	1/2	15	15,334			
		3/4	20	18,509			
I.B.R							
1049	 ZOLOTO Bronze Sleeve Packed Water Level Gauge (Screwed) HSN Code : 84818030	1/2	15	19,001			
		3/4	20	24,710			
I.B.R							
1050	 ZOLOTO Bronze Sleeve Packed Water Level Gauge (Flanged) Flanged Ends to BS 10 Table 'H' HSN Code : 84818030	1/2	15	21,985			
		3/4	20	26,412			
I.B.R							
1052	 ZOLOTO Bronze Parallel Slide Blow Off Valve (Flanged) Flanged Ends to BS 10 Table 'H' HSN Code : 84818030	1	25	32,841			
		1 1/4	32	39,244			
		1 1/2	40	45,166			
		2	50	66,359			
I.B.R							
1053	 ZOLOTO Bronze Y-Type Strainer (Screwed) S.S 304 Perforated Sheet Screen Ø1 mm HSN Code : 84818030	1/2	15	1,309			
		3/4	20	2,335			
		1	25	4,731			
		1 1/4	32	5,948			
		1 1/2	40	8,633			
		2	50	16,138			
I.B.R							

Art. No.	Product	Inches	mm	Price/Piece	Inches	mm	Price/Piece
1053A	 <p>ZOLOTO Forged Brass Y-Type Strainer PN 25 (Screwed) S.S 304 Perforated Sheet Screen Ø1 mm HSN Code : 84818090</p>	1/2	15	860			
		3/4	20	1,517			
		1	25	2,100			
		1 1/4	32	3,957			
		1 1/2	40	4,618			
		2	50	7,845			
1054	 <p>ZOLOTO Bronze Y-Type Strainer (Flanged) Flanged Ends to BS 10 Table 'H', S.S 304 Perforated Sheet Screen Ø1 mm HSN Code : 84818030</p>	1/2	15	4,858			
		3/4	20	7,069			
		1	25	10,820			
		1 1/4	32	14,556			
		1 1/2	40	22,360			
		2	50	33,846			
I.B.R							
1055	 <p>ZOLOTO Bronze Thermodynamic Steam Trap (Screwed) S.S 304 Perforated Sheet Screen Ø0.5 mm HSN Code : 84818030</p>	1/2	15	3,311			
		3/4	20	4,211			
		1	25	8,124			
I.B.R							
1063	 <p>ZOLOTO Bronze Fusible Plug (One Piece Design) HSN Code : 84814000</p>	1/2	15	1,242			
		3/4	20	1,297			
		1	25	2,090			
I.B.R							
1064	 <p>ZOLOTO Bronze Fusible Plug (Two Piece Design) HSN Code : 84814000</p>	1/2	15	2,017			
		3/4	20	2,090			
		1	25	2,374			
		1 1/4	32	3,010			
		1 1/2	40	3,504			
		2	50	5,116			
I.B.R							
1064A	 <p>ZOLOTO Bronze Spare Cone for Fusible Plug Two Piece Design HSN Code : 84818030</p>	1/2	15	1,237			
		3/4	20	1,265			
		1	25	1,558			
		1 1/4	32	2,123			
		1 1/2	40	2,220			
		2	50	2,965			
I.B.R							
1065	 <p>ZOLOTO Cast Iron Globe Steam Stop Valve Straight Pattern (Flanged) Flanged Ends to DIN 2533 PN 16 RF HSN Code : 84818030</p>	1/2	15	2,995	2 1/2	65	11,716
		3/4	20	3,169	3	80	15,258
		1	25	3,590	4	100	19,934
		1 1/4	32	4,612	5	125	36,866
		1 1/2	40	6,358	6	150	46,875
		2	50	8,184	8	200	65,644
I.B.R							

Art. No.	Product	Inches	mm	Price/Piece	Inches	mm	Price/Piece
1066	 <p>ZOLOTO Cast Iron Globe Steam Stop Valve Angle Pattern (Flanged) Flanged Ends to DIN 2533 PN 16 RF HSN Code : 84818030</p>	1/2	15	2,995	2 1/2	65	11,716
		3/4	20	3,169	3	80	15,258
		1	25	3,590	4	100	19,934
		1 1/4	32	4,612	8	200	65,644
		1 1/2	40	6,358			
		2	50	8,184			
I.B.R							
1067	 <p>ZOLOTO Cast Iron Horizontal Lift Check Valve Straight Pattern (Flanged) Flanged Ends to DIN 2533 PN 16 RF HSN Code : 84813000</p>	1/2	15	2,696	2 1/2	65	10,641
		3/4	20	3,019	3	80	14,377
		1	25	3,522	4	100	19,006
		1 1/4	32	3,875	5	125	33,289
		1 1/2	40	5,896	6	150	40,658
		2	50	7,768	8	200	55,805
I.B.R							
1068	 <p>ZOLOTO Cast Iron Horizontal Lift Check Valve Angle Pattern (Flanged) Flanged Ends to DIN 2533 PN 16 RF HSN Code : 84813000</p>	1/2	15	2,696	2 1/2	65	10,641
		3/4	20	3,019	3	80	14,377
		1	25	3,522	4	100	19,006
		1 1/4	32	3,875	8	200	55,805
		1 1/2	40	5,896			
		2	50	7,768			
I.B.R							
1069	 <p>ZOLOTO Cast Iron Y-Type Strainer (Screwed) S.S 304 Perforated Sheet Screen Ø1 mm HSN Code : 84818030</p>	1/2	15	534			
		3/4	20	774			
		1	25	1,163			
		1 1/4	32	1,575			
		1 1/2	40	2,004			
		2	50	3,402			
I.B.R							
1070	 <p>ZOLOTO Cast Iron Y-Type Strainer (Flanged) Flanged Ends to BS 10 Table 'F', S.S 304 Perforated Sheet Screen Ø1 mm HSN Code : 84818030</p>	1/2	15	2,385	2 1/2	65	11,297
		3/4	20	2,747	3	80	12,828
		1	25	2,923	4	100	18,924
		1 1/4	32	3,309			
		1 1/2	40	4,842			
		2	50	7,190			
I.B.R							
1071	 <p>ZOLOTO Cast Steel Globe Steam Stop Valve (Flanged) Flanged Ends to DIN 2545 PN 40 HSN Code : 84818030</p>	1/2	15	5,016	2 1/2	65	19,640
		3/4	20	5,300	3	80	28,759
		1	25	6,561	4	100	36,469
		1 1/4	32	8,794	6	150	77,913
		1 1/2	40	9,805	8	200	1,69,223
		2	50	12,314			
I.B.R							
1072	 <p>ZOLOTO Cast Steel Horizontal Lift Check Valve (Flanged) Flanged Ends to DIN 2545 PN 40 HSN Code : 84813000</p>	1/2	15	4,644	2 1/2	65	18,413
		3/4	20	4,912	3	80	24,370
		1	25	6,164	4	100	32,292
		1 1/4	32	7,803	6	150	71,799
		1 1/2	40	8,382	8	200	1,57,892
		2	50	11,565			
I.B.R							

Art. No.	Product	Inches	mm	Price/Piece	Inches	mm	Price/Piece
1073	 <p>ZOLOTO Cast Steel Y-Type Strainer (Flanged) Flanged Ends to BS 10 Table 'J', S.S 304 Perforated Sheet Screen Ø1 mm HSN Code : 84818030</p>	1	25	6,747	4	100	36,208
		1 1/4	32	8,545	6	150	62,072
		1 1/2	40	11,576			
		2	50	13,240			
		2 1/2	65	17,730			
		3	80	24,262			
I.B.R							
1074	 <p>ZOLOTO Forged Steel Globe Valve, Class-800 (Standard Bore) HSN Code : 84818030</p>	1/2	15	2,413			
		3/4	20	2,768			
		1	25	4,204			
		1 1/4	32	7,273			
		1 1/2	40	8,556			
		2	50	11,715			
I.B.R							
1074A	 <p>ZOLOTO Forged Steel Globe Valve, Class-800 (Full Bore) HSN Code : 84818030</p>	3/8	10	2,413			
		1/2	15	2,768			
		3/4	20	4,204			
		1	25	7,273			
		1 1/4	32	8,556			
		1 1/2	40	11,715			
I.B.R							
1075	 <p>ZOLOTO Forged Steel Gate Valve, Class-800 (Standard Bore) HSN Code : 84818030</p>	1/2	15	2,343			
		3/4	20	2,735			
		1	25	4,118			
		1 1/4	32	8,077			
		1 1/2	40	9,504			
		2	50	12,618			
I.B.R							
1075A	 <p>ZOLOTO Forged Steel Gate Valve, Class-800 (Full Bore) HSN Code : 84818030</p>	3/8	10	2,343			
		1/2	15	2,735			
		3/4	20	4,118			
		1	25	8,077			
		1 1/4	32	9,504			
		1 1/2	40	12,618			
I.B.R							
1076	 <p>ZOLOTO Forged Steel Horizontal Lift Check Valve, Class-800 (Standard Bore) HSN Code : 84813000</p>	1/2	15	1,930			
		3/4	20	1,961			
		1	25	2,935			
		1 1/4	32	6,128			
		1 1/2	40	7,211			
		2	50	10,739			
I.B.R							
1076A	 <p>ZOLOTO Forged Steel Horizontal Lift Check Valve, Class-800 (Full Bore) HSN Code : 84813000</p>	3/8	10	1,930			
		1/2	15	1,961			
		3/4	20	2,935			
		1	25	6,128			
		1 1/4	32	7,211			
		1 1/2	40	10,739			
I.B.R							

Art. No.	Product	Inches	mm	Price/Piece	Inches	mm	Price/Piece
1077	 <p>ZOLOTO Cast Steel Gate Valve, Class-150 (Flanged) Flanged Ends as per ASME B16.5 Class-150 HSN Code : 84818030</p>	1 1/2	40	12,916	6	150	58,665
		2	50	16,695	8	200	86,822
		2 1/2	65	19,950			
		3	80	25,285			
		4	100	37,208			
		5	125	43,542			
1078	 <p>ZOLOTO Butterfly Valve (Wafer Type), PN 1.6 with S.G Iron Disc Body S.G Iron, Lever Operated, Nitrile / EPDM Rubber Lining, Seat Test Pressure 1.76 Mpa (Hyd.) Additional features like Limit Switch, Pad Lock, Neoprene / Viton / Silicon & Buna-N lining can also be provided at a nominal extra cost. HSN Code : 84818030</p>	1 1/2	40	3,110			
		2	50	3,507			
		2 1/2	65	3,752			
		3	80	4,037			
		4	100	5,242			
		5	125	6,234			
1078A	 <p>ZOLOTO Butterfly Valve (Wafer Type), PN 1.6 with S.G Iron Disc Gear Operated Body S.G Iron, Nitrile / EPDM Rubber Lining, Seat Test Pressure 1.76 Mpa (Hyd.) Additional features like Limit Switch, Pad Lock, Neoprene / Viton / Silicon & Buna-N lining can also be provided at a nominal extra cost. <i>Note : Sizes above 300 mm are Non-ISI & Sizes above 400 mm are available in PN 1.0 rating only.</i> HSN Code : 84818030</p>	8	200	19,555			
		10	250	31,831			
		12	300	37,866			
		14	350	52,032			
		16	400	77,222			
		18	450	77,534			
		20	500	1,12,097			
1078B	 <p>ZOLOTO Butterfly Valve (Wafer Type), PN 1.6 with S.S 304 Disc Body S.G Iron, Lever Operated, Nitrile / EPDM Rubber Lining, Seat Test Pressure 1.76 Mpa (Hyd.) Additional features like Limit Switch, Pad Lock, S.S 316 Disc, Neoprene / Viton / Silicon & Buna-N lining can also be provided at a nominal extra cost. HSN Code : 84818030</p>	1 1/2	40	3,151			
		2	50	3,756			
		2 1/2	65	4,239			
		3	80	4,774			
		4	100	6,292			
		5	125	8,545			

*Trees are the Earth's endless effort
to speak to the listening Heaven.*





ZOLOTO's
*continuous endeavour of
Tree Plantation, is for our Environment.*

Art. No.	Product	Inches	mm	Price/Piece	Inches	mm	Price/Piece	
1078C	 <p>ZOLOTO Butterfly Valve (Wafer Type), PN 1.6 with S.S 304 Disc Gear Operated Body S.G Iron, Nitrile / EPDM Rubber Lining, Seat Test Pressure 1.76 Mpa (Hyd.) Additional features like Limit Switch, Pad Lock, S.S 316 Disc, Neoprene / Viton / Silicon & Buna-N lining can also be provided at a nominal extra cost. <i>Note : Sizes above 300 mm are Non-ISI & PN 1.0 rating only.</i> HSN Code : 84818030</p>	8	200	22,236				
		10	250	37,687				
		12	300	44,517				
		14	350	57,722				
1078D	 <p>ZOLOTO Butterfly Valve (Wafer Type), PN 1.0 with Pneumatic Actuator Body S.G Iron, Pneumatic Actuator Operated, S.S 304 Disc, Nitrile / EPDM Rubber Lining, Seat Test Pressure 1.1 Mpa (Hyd.) Neoprene / Viton / Silicon & Buna-N lining, S.S 316 Disc & Limit Switch (Positioner) and Solenoid Device can also be provided at a nominal extra cost. HSN Code : 84818030</p>	1 1/2	40	15,335				
		2	50	15,943				
		2 1/2	65	16,274				
		3	80	16,798				
		4	100	25,766				
		5	125	28,083				
1078F	 <p>ZOLOTO Butterfly Valve (Wafer Type), PN 1.0 with Electrical Actuator Body S.G Iron, Electric Actuator Operated, S.S 304 Disc, Nitrile / EPDM Rubber Lining, Seat Test Pressure 1.1 Mpa (Hyd.) Electrical Actuator with Input Voltage 230V AC (24V DC can also be provided on demand at a nominal extra cost). Neoprene / Viton / Silicon & Buna-N lining, S.S 316 Disc can also be provided at a nominal extra cost. HSN Code : 84818030</p>	1 1/2	40	29,185				
		2	50	29,775				
		2 1/2	65	30,258				
		3	80	30,786				
		4	100	32,302				
		5	125	66,839				
		6	150	69,409				
		8	200	77,275				
		10	250	1,30,738				
		12	300	1,37,827				
1078G	 <p>ZOLOTO Butterfly Valve (Wafer Type), PN 2.5 with S.G Iron Disc Body S.G Iron, Lever Operated, Nitrile / EPDM Rubber Lining, Seat Test Pressure 2.75 Mpa (Hyd.) Additional features like Limit Switch, Pad Lock, Neoprene / Viton / Silicon & Buna-N lining can also be provided at a nominal extra cost. HSN Code : 84818030</p>	1 1/2	40	3,339				
		2	50	3,753				
		2 1/2	65	4,058				
		3	80	4,423				
		4	100	5,749				
		5	125	6,639				

Art. No.	Product	Inches	mm	Price/Piece	Inches	mm	Price/Piece	
1078H	 <p>ZOLOTO Butterfly Valve (Wafer Type), PN 2.5 with S.G Iron Disc Gear Operated Body S.G Iron, Nitrile / EPDM Rubber Lining, Seat Test Pressure 2.75 Mpa (Hyd.) Additional features like Limit Switch, Pad Lock, Neoprene / Viton / Silicon & Buna-N lining can also be provided at a nominal extra cost. HSN Code : 84818030</p>	8	200	21,290				
		10	250	34,182				
		12	300	40,539				
1078I	 <p>ZOLOTO Butterfly Valve (Wafer Type), PN 2.5 with S.S 304 Disc Body S.G Iron, Lever Operated, Nitrile / EPDM Rubber Lining, Seat Test Pressure 2.75 Mpa (Hyd.) Additional features like Limit Switch, Pad Lock, S.S 316 Disc, Neoprene / Viton / Silicon & Buna-N lining can also be provided at a nominal extra cost. HSN Code : 84818030</p>	1 1/2	40	3,371				
		2	50	4,026				
		2 1/2	65	4,579				
		3	80	5,156				
		4	100	6,892				
		5	125	9,090				
1078J	 <p>ZOLOTO Butterfly Valve (Wafer Type), PN 2.5 with S.S 304 Disc Gear Operated Body S.G Iron, Nitrile / EPDM Rubber Lining, Seat Test Pressure 2.75 Mpa (Hyd.) Additional features like Limit Switch, Pad Lock, S.S 316 Disc, Neoprene / Viton / Silicon & Buna-N lining can also be provided at a nominal extra cost. HSN Code : 84818030</p>	8	200	23,912				
		10	250	39,677				
		12	300	47,356				
1078K	 <p>ZOLOTO Butterfly Valve (Wafer Type), PN 1.6 with Electrical Actuator Body S.G Iron, S.S 304 Disc, Nitrile / EPDM Rubber Lining, Seat Test Pressure 1.76 Mpa (Hyd.) Electrical Actuator with Input Voltage 230V AC (24V DC can also be provided on demand at a nominal extra cost). Neoprene / Viton / Silicon & Buna-N lining, S.S 316 Disc can also be provided at a nominal extra cost. HSN Code : 84818030</p>	1 1/2	40	29,498				
		2	50	30,148				
		2 1/2	65	30,681				
		3	80	31,261				
		4	100	65,227				
		5	125	67,687				
		6	150	70,517				
		8	200	92,563				
		10	250	1,34,487				
		12	300	1,42,265				

Art. No.	Product	Inches	mm	Price/Piece	Inches	mm	Price/Piece	
1079A	 <p>ZOLOTO Cast Iron Sluice Valve PN 1.0 (Flanged) Hand Wheel Operated, Non-Rising Stainless Steel Stem, Bronze Body Seat Ring. Flanged Ends to IS 1538, Shell Test Pressure - 1.5 Mpa (Hyd.), Seat Test Pressure - 1.0 Mpa (Hyd.) Also available with Brass Stem, Pad Lock in all sizes and By-pass arrangement in sizes 200 mm & above at a nominal extra cost. <i>Note : Sizes above 300 mm are Non-ISI.</i> HSN Code : 84818030</p>	2	50	8,936	24	600	5,95,723	
		2 1/2	65	9,767				
		3	80	12,261				
		4	100	18,688				
		5	125	21,537				
		6	150	25,794				
		8	200	46,432				
		10	250	67,980				
		12	300	84,254				
		14	350	1,68,516				
		16	400	2,26,910				
		18	450	2,88,658				
		1079B	 <p>ZOLOTO Cast Iron Sluice Valve PN 1.6 (Flanged) Hand Wheel Operated, Non-Rising Stainless Steel Stem, Bronze Body Seat Ring. Flanged Ends to IS 1538, Shell Test Pressure - 2.4 Mpa (Hyd.), Seat Test Pressure - 1.6 Mpa (Hyd.) Also available with Brass Stem, Pad Lock, Limit Switch in all sizes and By-pass arrangement in sizes 200 mm & above at a nominal extra cost. HSN Code : 84818030</p>	2	50	9,362		
2 1/2	65			11,391				
3	80			14,319				
4	100			20,574				
5	125			25,607				
6	150			31,617				
8	200			51,530				
10	250			75,859				
12	300			97,192				
1079C	 <p>ZOLOTO Cast Iron Sluice Valve PN 1.0 (Flanged) with Rising Stem Hand Wheel Operated, Stainless Steel Stem, Bronze Body Seat Ring. Flanged Ends to IS 1538, Shell Test Pressure - 1.5 Mpa (Hyd.), Seat Test Pressure - 1.0 Mpa (Hyd.) Also available with Brass Stem all sizes and By-pass arrangement in sizes 200 mm & above at a nominal extra cost. HSN Code : 84818030</p>			2	50	11,145		
		2 1/2	65	12,171				
		3	80	15,280				
		4	100	23,290				
		5	125	26,842				
		6	150	32,145				
		8	200	57,869				
		10	250	84,723				
		12	300	1,05,003				



Art. No.	Product	Inches	mm	Price/Piece	Inches	mm	Price/Piece
1079D	 <p>ZOLOTO Cast Iron Sluice Valve PN 1.6 (Flanged) with Rising Stem Hand Wheel Operated, Stainless Steel Stem, Bronze Body Seat Ring. Flanged Ends to IS 1538, Shell Test Pressure - 2.4 Mpa (Hyd.), Seat Test Pressure - 1.6 Mpa (Hyd.) Also available with Brass Stem all sizes and By-pass arrangement in sizes 200 mm & above at a nominal extra cost. HSN Code : 84818030</p>	2	50	11,570			
		2 1/2	65	13,797			
		3	80	17,338			
		4	100	25,178			
		6	150	37,968			
		8	200	62,967			
		10	250	92,604			
1080A	 <p>ZOLOTO Stainless Steel CF8M (S.S 316) Three Piece Design Ball Valve, Class-150 (Screwed) HSN Code : 84818030</p>	1/2	15	1,936			
		3/4	20	2,813			
		1	25	4,280			
		1 1/4	32	5,103			
		1 1/2	40	7,656			
		2	50	10,004			
1080B	 <p>ZOLOTO Stainless Steel CF8M (S.S 316) Three Piece Design Ball Valve, Class-150 (Flanged) Flanged Ends as per ASME B16.5 Class-150 (Drilled) HSN Code : 84818030</p>	1/2	15	4,344	3	80	32,892
		3/4	20	4,898	4	100	50,922
		1	25	7,033			
		1 1/4	32	9,024			
		1 1/2	40	11,767			
		2	50	17,121			
		2 1/2	65	25,509			
1081	 <p>ZOLOTO Stainless Steel CF8 (S.S 304) Three Piece Design Ball Valve, Class-150 (Screwed) HSN Code : 84818030</p>	1/2	15	1,835			
		3/4	20	2,343			
		1	25	3,864			
		1 1/4	32	4,832			
		1 1/2	40	6,242			
1081A	 <p>ZOLOTO Stainless Steel CF8 (S.S 304) Three Piece Design Ball Valve, Class-150 (Flanged) Flanged Ends to ASME B16.5 Class-150 (Drilled) HSN Code : 84818030</p>	1/2	15	3,511	3	80	29,002
		3/4	20	4,389	4	100	44,883
		1	25	6,499			
		1 1/4	32	8,384			
		1 1/2	40	11,121			
		2	50	15,853			
	2 1/2	65	22,812				

Art. No.	Product	Inches	mm	Price/Piece	Inches	mm	Price/Piece
1082	 <p>ZOLOTO Cast Iron Dual Plate (Wafer Type) Check Valve, PN 16 With S.S 304 Disc and Nitrile Rubber Lining, Shell Test Pressure - 24.50 kg/cm²g , Seat Test Pressure - 16 kg/cm²g <i>Note : Sizes above 300 mm are PN 10 rating only. Size 350 mm is with Bronze Disc.</i> HSN Code : 84813000</p>	1 1/2	40	4,874	10	250	33,783
		2	50	5,550	12	300	48,311
		2 1/2	65	6,123	14	350	61,564
		3	80	6,955			
		4	100	8,748			
		5	125	10,556			
		6	150	11,718			
		8	200	25,649			
1082A	 <p>ZOLOTO Ductile Iron Dual Plate (Wafer Type) Check Valve, PN 16 With S.S 304 Disc and Nitrile Rubber Lining, Shell Test Pressure - 24 Bar, Seat Test Pressure - 17.6 Bar HSN Code : 84813000</p>	1 1/2	40	4,895	10	250	33,948
		2	50	5,576	12	300	48,547
		2 1/2	65	6,153	14	350	61,856
		3	80	6,987	16	400	1,06,835
		4	100	8,791	18	450	1,37,410
		5	125	10,605	20	500	1,64,129
		6	150	11,773	24	600	2,38,327
		8	200	25,774			
1083	 <p>ZOLOTO Cast Iron Non-Return Valve PN 1.0 (Flanged) Swing Type with Nitrile Rubber Disc Facing, Flanged Ends to IS 1538 HSN Code : 84813000</p>	2	50	5,090	8	200	39,725
		2 1/2	65	6,529	10	250	44,616
		3	80	9,611	12	300	56,279
		4	100	13,420			
		5	125	18,632			
		6	150	23,394			
1083A	 <p>ZOLOTO Cast Iron Non-Return Valve PN 1.6 (Flanged) Swing Type with Nitrile Rubber Disc Facing, Flanged Ends to IS 1538 HSN Code : 84813000</p>	2	50	6,059	8	200	47,056
		2 1/2	65	8,031	10	250	51,293
		3	80	9,900	12	300	59,236
		4	100	13,839			
		5	125	21,265			
		6	150	26,321			
1083B	 <p>ZOLOTO Cast Iron Non-Return Valve PN 1.0 (with By-Pass Arrangement) (Flanged) Swing Type with Nitrile Rubber Disc Facing, Flanged Ends to IS 1538 HSN Code : 84813000</p>	2	50	6,957	8	200	44,217
		2 1/2	65	8,397	10	250	49,109
		3	80	11,480	12	300	64,232
		4	100	15,287			
		5	125	20,501			
		6	150	25,261			
1083C	 <p>ZOLOTO Cast Iron Non-Return Valve PN 1.6 (with By-Pass Arrangement) (Flanged) Swing Type with Nitrile Rubber Disc Facing, Flanged Ends to IS 1538 HSN Code : 84813000</p>	2	50	8,077	8	200	51,759
		2 1/2	65	10,051	10	250	56,000
		3	80	11,921	12	300	68,964
		4	100	15,857			
		5	125	23,286			
		6	150	28,341			



Art. No.	Product	Inches	mm	Price/Piece	Inches	mm	Price/Piece
1084	 <p>ZOLOTO Cast Iron Y-Type Strainer, PN 10 (Flanged) Shell Test Pressure - 15 kg/cm²g, S.S 304 Perforated Sheet Screen Ø3 mm, Flanged Ends to BS 10 Table 'F' HSN Code : 84818030</p>	1 1/2	40	3,366	8	200	41,307
		2	50	4,677	10	250	66,431
		2 1/2	65	6,548	12	300	91,200
		3	80	7,691	14	350	1,36,996
		4	100	10,310			
		5	125	19,999			
1084A	 <p>ZOLOTO Cast Iron Y-Type Strainer, PN 16 (Flanged) Shell Test Pressure - 24 kg/cm²g, S.S 304 Perforated Sheet Screen Ø3 mm, Flanged Ends to BS 10 Table 'F' HSN Code : 84818030</p>	1 1/2	40	4,578	8	200	49,214
		2	50	5,954	10	250	75,012
		2 1/2	65	8,170			
		3	80	9,909			
		4	100	13,589			
		5	125	21,347			
1085	 <p>ZOLOTO Bronze Ball Valve with Integral Strainer (Screwed) HSN Code : 84818030</p>	1/2	15	2,105			
		3/4	20	3,271			
		1	25	4,148			
1085A	 <p>ZOLOTO Bronze Ball Valve with Integral Strainer & Flare Nut (Mixed Ends) HSN Code : 84818030</p>	1/2	15	2,883			
		3/4	20	3,249			
		1	25	3,491			
1085B	 <p>ZOLOTO Bronze Ball Valve with Flare Nut (Mixed Ends) HSN Code : 84818030</p>	1/2	15	1,878			
		3/4	20	1,907			
		1	25	2,314			
1086	 <p>ZOLOTO Stainless Steel Thermodynamic Steam Trap (Screwed) Stainless Steel S.S 304 Perforated Sheet Screen Ø0.5 mm, Shell Test Pressure - 52 bar (Hyd.), Maximum Working Pressure - 31.6 bar (Steam) HSN Code : 84818030</p>	1/2	15	2,192			
		3/4	20	2,364			
		1	25	2,541			

Art. No.	Product	Inches	mm	Price/Piece	Inches	mm	Price/Piece
1087	 <p>ZOLOTO Bronze Double Regulating Balancing Valve (Screwed) with Nozzle HSN Code : 84818030</p>	1/2	15	4,882			
		3/4	20	5,510			
		1	25	6,480			
		1 1/4	32	8,717			
		1 1/2	40	10,623			
		2	50	16,996			
1087A	 <p>ZOLOTO Cast Iron Double Regulating Balancing Valve (Flanged) with Nozzle Flanged Ends to BS 4504 Section 3.2 PN 16 HSN Code : 84818030</p>	2 1/2	65	13,635	10	250	1,14,231
		3	80	16,020	12	300	1,47,519
		4	100	23,832			
		5	125	33,966			
		6	150	46,056			
		8	200	87,092			
1088	 <p>ZOLOTO Cast Steel Three Piece Design Ball Valve, Class-150 (Screwed) HSN Code : 84818030</p>	1/2	15	1,600			
		3/4	20	2,121			
		1	25	3,743			
		1 1/4	32	3,879			
		1 1/2	40	5,262			
		2	50	8,462			
1089	 <p>ZOLOTO Cast Steel Three Piece Design Ball Valve, Class-150 (Flanged) Flanged Ends to ASME B16.5 Class-150 (Drilled) HSN Code : 84818030</p>	1/2	15	3,249	2 1/2	65	17,697
		3/4	20	4,181	3	80	23,065
		1	25	6,303	4	100	35,486
		1 1/4	32	7,101			
		1 1/2	40	9,091			
		2	50	14,756			
1090	 <p>ZOLOTO Cast Iron Bucket Type Steam Trap (Screwed) HSN Code : 84818030</p>	1/2	15	3,543			
		3/4	20	4,312			
		1	25	7,921			
		1 1/4	32	13,454			
		1 1/2	40	13,696			
		2	50	17,112			
1091	 <p>ZOLOTO Cast Steel Sleeve Packed Water Level Gauge (Flanged) Flanged Ends to BS 10 Table 'J' HSN Code : 84818030</p>	3/4	20	20,152			
1092	 <p>ZOLOTO Cast Steel Parallel Slide Blow Off Valve (Flanged) Flanged Ends to BS 10 Table 'J' HSN Code : 84818030</p>	1	25	15,813			
		1 1/4	32	22,233			
		1 1/2	40	27,326			
		2	50	32,979			

Art. No.	Product	Inches	mm	Price/Piece	Inches	mm	Price/Piece
1093	 <p>ZOLOTO Bronze Landing (Fire Hydrant) Valve (Flanged) Inlet 80 mm & Outlet 65 mm, as per IS 5290, Flanged Ends to IS 1538 HSN Code : 84818030</p>	3	80	34,921			
1093A	 <p>ZOLOTO Stainless Steel (S.S 304) Landing (Fire Hydrant) Valve (Flanged) Inlet 80 mm & Outlet 65 mm, as per IS 5290, Flanged Ends to IS 1538 HSN Code : 84818030</p>	3	80	13,799			
1094	 <p>ZOLOTO Bronze Spring Loaded Safety Relief Valve, Open Discharge (Screwed) HSN Code : 84814000</p>	1/2	15	3,493			
		3/4	20	3,981			
		1	25	5,730			
		1 1/4	32	7,683			
		1 1/2	40	11,385			
1094A	 <p>ZOLOTO Bronze Spring Loaded Safety Relief Valve, Enclosed Discharge (Screwed) HSN Code : 84814000</p>	1/2	15	3,981			
		3/4	20	4,470			
		1	25	6,705			
		1 1/4	32	8,661			
		1 1/2	40	12,848			
1095	 <p>ZOLOTO Forged Brass Air Release Valve (Screwed) HSN Code : 84818090</p>	1/2	15	1,059			
		3/4	20	1,504			
		1	25	1,566			
1096	 <p>ZOLOTO Ductile Iron Sluice Valve PN 1.6 (Flanged) Hand Wheel Operated, Non-Rising Stainless Steel Stem, Bronze Body Seat Ring, Flanged Ends to IS 1538, Shell Test Pressure - 2.4 Mpa (Hyd.), Seat Test Pressure - 1.6 Mpa (Hyd.) Also available with Brass Stem, Pad Lock, Limit Switch in all sizes and By-pass arrangement in sizes 200 mm & above at a nominal extra cost. HSN Code : 84818030</p>	2	50	11,399			
		2 1/2	65	13,605			
		3	80	16,918			
		4	100	24,493			
		5	125	26,762			
		6	150	37,577			
		8	200	61,800			
		10	250	91,564			
		12	300	1,15,609			

S.No.	Particulars	Amount
1.	ZOLOTO Cast Iron Y-Type Strainer with Magnet	10% Extra
2.	ZOLOTO Butterfly Valve with S.S 304 Disc & Dual Plate Check Valve with S.S 316 Disc	5% Extra
3.	ZOLOTO Open Shut Indicator / Locking Arrangement (Flanged) For Article No. 1004, 1034 & 1036 (15 mm & above)	5% Extra
4.	ZOLOTO Open Shut Indicator with Locking Arrangement (Flanged) For Article No. 1004, 1034 & 1036 (15 mm & above)	7% Extra
5.	ZOLOTO Open Shut Indicator / Locking Arrangement (Screwed) For Article No. 1033, 1035 & 1035A (15 mm & above)	7% Extra
6.	ZOLOTO Open Shut Indicator with Locking Arrangement (Screwed) For Article No. 1033, 1035 & 1035A (15 mm & above)	10% Extra
7.	ZOLOTO Gear Arrangement on Butterfly Valve (40 mm to 150 mm)	₹ 5,442 Extra
8a.	ZOLOTO Limit Switch Arrangement on Butterfly Valve (40 mm to 300 mm)	₹ 4,004 Extra
8b.	ZOLOTO Limit Switch Arrangement on Butterfly Valve (350 mm)	₹ 4,512 Extra
9.	ZOLOTO Sluice Valve with Brass Stem	25% Extra
10.	ZOLOTO Sluice Valve with Extended Stem For Article No. 1079A, 1079B & 1096 (Extra Charges)	
	1.0 Metre ₹ 3,519 3.0 Metres ₹ 14,667 5.0 Metres ₹ 25,802	
	1.5 Metres ₹ 5,572 3.5 Metres ₹ 18,473 10 Metres ₹ 53,654	
	2.0 Metres ₹ 9,095 4.0 Metres ₹ 20,230	
	2.5 Metres ₹ 12,906 4.5 Metres ₹ 24,047	
11a.	ZOLOTO Solenoid (Device) for Butterfly Valve with Pneumatic Actuator	₹ 7,227 Extra
11b.	ZOLOTO Limit Switch (Position Indicator) for Butterfly Valve with Pneumatic Actuator	₹ 5,324 Extra
12.	ZOLOTO Control Panel with Sensor for Butterfly Valve with Electrical Actuator For Article No. 1078F & 1078K	
	Input & Output Volt of 230V AC / 24V DC ₹ 8,200 Extra	
	Input 230V AC & Output 24V DC ₹ 9,000 Extra	
13.	ZOLOTO Valves with PTFE Seating	10% Extra
14.	ZOLOTO Limit Switch for Sluice Valve PN 1.6 (Flanged) (ISI) For Article No. 1079B & 1096	
	50 mm ₹ 3,661 125 mm ₹ 4,687 300 mm ₹ 7,695 600 mm ₹ 11,298	
	65 mm ₹ 3,661 150 mm ₹ 4,687 350 mm ₹ 9,391	
	80 mm ₹ 3,774 200 mm ₹ 5,521 400 mm ₹ 9,391	
	100 mm ₹ 4,231 250 mm ₹ 7,121 450 mm ₹ 9,774	
	Note : For sizes above 300 mm, the pressure rating will be PN 1.0 (Non-ISI) For Article No. 1079A	
15a.	ZOLOTO Butterfly Valve (Wafer Type), PN 1.0 with Electrical Actuator For Article No. 1078F (40 mm to 300 mm)	
	Input Voltage - 24V DC ₹ 1,760 Extra	
15b.	ZOLOTO Butterfly Valve (Wafer Type), PN 1.6 with Electrical Actuator For Article No. 1078K (40 mm to 300 mm)	
	Input Voltage - 24V DC ₹ 1,760 Extra	

Special Notes

1. Flanged Valves are generally supplied UNDRILLED, unless & until specified by the buyer.
2. (a) Zoloto's Bronze & Brass Forged (All Waterline Non-Ferrous) Valves carry Lifetime Warranty against any manufacturing defect.
(b) However, all Ferrous Valves irrespective of their application and Non-Ferrous Valves, which are meant to be used for steam application are guaranteed for free replacement against any manufacturing defects for 18 months from the date of invoice or 12 months from the date of installation, whichever ends earlier.
3. Each I.B.R Valve can be supplied with a test certificate on Form III C issued by the Director of Boilers, Punjab or any other inspecting authority duly recognized by the Indian Boiler Regulation.
4. Please insist for a Material / Test Certificate / Drawing(s) of the product(s) as these can very well be provided with the Goods.
5. Threads to NPT or any other standard can also be provided on customer's demand.
6. Valves with customer's Specifications / Drawings can also be supplied.
7. Maximum working temperature for I.B.R products in Bronze is 225°C, Cast Iron 220°C, Cast Steel 400°C, Forged Steel 425°C and Stainless Steel 450°C but for a detailed pressure / temperature rating of other "ZOLOTO" products, please refer our catalogue.
8. Valves are recommended only for those gases & fluids, which do not react with the material of construction of those specified Valves.
9. Gate, Globe, Check and Ball Valves with soldered ends are also available at a nominal extra price.
10. Article No. 1008 is also available with Pad Lock arrangement up to 50 mm at a nominal extra price.
11. Article Nos. 1001 to 1004, 1010, 1014, 1031 to 1034, 1071 can also be provided with Teflon Disc at a nominal extra price.
12. Globe & Check Valve (Horizontal) can also be provided with PTFE seating for Air & Gas application at a nominal extra price.
13. Cast Steel and Forged Steel Valves can also be provided with Stellite seating at a nominal extra price.
14. Line balancing facility is also available on demand & chargeable basis. Quote for the same can be provided by the Company as & when required by the Dealer / Consumer.
15. Following articles have been discontinued henceforth.
1015, 1016, 1017, 1020, 1021, 1022, 1022A, 1023, 1024, 1025, 1026, 1027, 1028, 1029, 1030, 1040, 1051, 1056, 1057, 1058, 1059, 1060, 1061, 1062, 1078E, 1079.
16. Our detailed Catalogue can also be provided on demand.
17. Owing to our ever continuous product development, dimensions, materials & any / all published literature are subject to change without any prior notice.
18. Gun Metal is just another type of Bronze which is simply a Copper based alloy with its chief alloying elements being Tin (Sn) - 4% to 6%, Zinc (Zn) - 4% to 6%, Lead (Pb) - 4% to 6% and Copper (Cu) as Remainder which is recommended to manufacture valves. In the earlier days this alloy was used for making primitive Barrels for Guns, hence the name stuck on & 'Gun Metal' just became colloquial & a commercially used name for it, in the Trade.
19. **S.G Iron (Spheroidal Graphite Iron) and D.I (Ductile Iron), both are synonymous terms** used for Casting Alloys of Iron & Carbon, wherein Carbon is present in Spheroidal or Nodular form.

Terms & Conditions

1. Prices listed are in Indian Rupees, F.O.R Jalandhar and inclusive of all packing & forwarding charges.
2. The GST @18% is inclusive in this Maximum Retail Price List.
3. We also reserve the right to execute any order in full or in part(s) according to our supply position or manufacturing capacity.
4. While taking delivery of the consignment from the carrier, please ensure that the actual weight of the consignment tallies with the one mentioned on the G.R / L.R. In case of any discrepancy, please insist upon an open delivery before lodging your claim with the carriers and obtaining a shortage certificate / survey report, at the earliest.
5. As each consignment contains a packing slip, complaint regarding shortage, damage & wrong supply if any, must be brought to our notice for verification within 10 days of taking delivery of the consignment. However, no complaint shall be entertained until the documents have been retired.
6. The prices & Government taxes / levies are subject to revision, without any prior notice & shall be charged, as prevailing at the time of despatch.
7. Orders placed directly or through any of our Sales Executives are subject to written confirmation from the Head Office.
8. Our responsibility ceases for any delay in supplies, loss or damage incurred to the goods due to War, Lock-out, Breakdown(s) Fire, Riots, Power Shortage, Acts of God, Natural calamity or any other contingencies beyond our control.
9. Goods would not be returned nor exchanged, once the supplies have been billed & executed.
10. Payment against our Invoice(s) may please be made through the mode of payment (Advance Cheque / D.D / NEFT / RTGS) as mutually agreed between us. We do not take responsibility for any Cash Payment(s) made by you.
11. Competent courts at Jalandhar alone, shall have jurisdiction over any dispute.
12. This Price List cancels & supercedes all our previous Price Lists.

Disclaimer

Due Diligence and Utmost Care has been taken while compiling the HSN Codes of the products.
However, legal opinion should essentially be taken from your consultant(s) before implementation of the same in your system of working.



Download PDF Catalogue



www.zolotovalves.com

Manufacturers

ZOLOTO INDUSTRIES

Zoloto House, 11th Milestone, Lambra,
Nakodar Road, Jalandhar - 144 026
Punjab. INDIA

Phones

+91 181 4676666 (100 Lines)
+91 181 5096666

E-mail

sales@zolotovalves.com
corporate@zolotovalves.com